Basic Research in Cardiology

The European Journal of Fundamental Cardiology
Archiv für Kreislaufforschung
Official Journal of the German Association of Cardiovascular Research

Editors:
G. Elzinga, Amsterdam; R. Jacob, Tübingen (Coord. Ed.); Th. Kenner, Graz

Editorial Board

H. Antoni, Freiburg i. Brsg.
E. Bassenge, Freiburg i. Brsg.
D. H. Bergel, Oxford
H. J. Bretschneider, Göttingen
D. L. Brutsaert, Antwerpen
N. S. Dhalla, Winnipeg
K. Dietz, Tübingen
A. Fabiato, Richmond
H. L. Fung, Buffalo
E. Gerlach, München
W. Hasselbach, Heidelberg
G. Heusch, Essen
W. Hort, Düsseldorf
P. G. Hugenholtz, Nyon
M. J. Janse, Amsterdam
K. J. Kako, Ottawa
H. Kammermeier, Aachen
J. C. Kentish, London
O. Kraupp, Wien
W. Kübler, Heidelberg
F. Z. Meerson, Moscow
E. Monos, Budapest
M. Nagano, Tokyo
S. Onishi, Osaka
J. Gy. Papp, Szeged
Ch. Pfeiffer, Rostock
P. A. Poole-Wilson, London
G. Riegger,. Würzburg
W. Schaper, Bad Nauheim
M. C. Schaub, Zürich
St. Schiaffino, Padua
K. Schwartz, Paris
P. J. Schwartz, Milano
L. Szekeres, Szeged
H. A. Tritthart, Graz
A. Trzebski, Warszawa
G. J. van der Vusse, Maastricht
N. Westerhof, Amsterdam
R. Zak, Chicago
H.-G. Zimmer, München

Contents of Volume 85 (1990)

Steinkopff Verlag · Darmstadt

Contents of Volume 85 (1990)

Editorial

Elzinga G, Jacob R, Kenner Th (Amsterdam/The Netherlands, Tübingen/FRG, Graz/Austria) Europe: Meeting the challenge 1
Elzinga G, van der Laarse WJ (Amsterdam/The Netherlands) MVO_2max of the heart cannot be determined from uncoupled myocytes 315
Westerhof, N (Amsterdam/The Netherlands) Physiological hypotheses – Intramyocardial pressure. A new concept, suggestions for measurement 105

Original Contributions

Auffermann W, Wu ST, Parmley WW, Wikman-Coffelt J (San Francisco, California/USA) Glycolysis in heart failure: a ^{31}P-NMR and surface fluorometry study 342
Bernauer W (Freiburg/FRG) Antiarrhythmic and antinecrotic effects of yohimbine stereoisomers in rats during coronary occlusion and reperfusion 132
Bhaskar M, Trachewsky D, Stith RD, Reddy YS (Oklahoma City, Oklahoma/USA) Effects of riboflavin analogues and diuretics on the spontaneously hypertensive rat heart 444
Brik H, Shainberg A (Ramat-Gan/Israel) Thyroxine induces transition of red towards white muscle in cultured heart cells 237
Büchi M, Hess OM, Murakami T, Krayenbühl ZP (Zürich/Switzerland) Left ventricular wall stress distribution in chronic pressure and volume overload: effect of normal and depressed contractility on regional stress-velocity relations 367
Butkow N, Wheatley AM, Lippe IT, Marcus RH, Rosendorff C (Johannesburg/South Africa) The role of calcium in the enhanced myocardial contractility of the hyperthyroid rat heart . . . 297
Clement R, Das DK, Engelmann RM, Otani H, Bandhyopadhyay D, Hoory S, Antar M, Rousou JA, Breyer RH, Prasad MR (Farmington, Connecticut, Springfield, Massachusetts, New Hyde Park, New York, Newington, Connecticut/USA) Role of nonsteroidal anti-inflammatory agent, ibuprofen, in coronary revascularization after acute myocardial infarction 55
Dean EN, Shlafer M, Nicklas JM (Ann Arbor, Michigan/USA) The oxygen consumption paradox of "stunned myocardium" in dogs 120
Dhein S, Müller A, Klaus W (Cologne/FRG) Prearrhythmia: Changes preceding arrhythmia, new aspects by epicardial mapping 285
Edes I, Kranias EG (Cincinnati, Ohio/USA) Characterization of cytoplasmic and membrane-associated phosphatidylinositol 4,5-biphosphate phospholipase C activities in guinea pig ventricles 78
Estafanous FG, Smith CE, Selim WM, Tarazi RC (Cleveland, Ohio/USA) Cardiovascular effects of acute normovolemic hemodilution in rats with disopyramide-induced myocardial depression 227
Felix SB, Baumann G, Maus C, Berdel WE (München/FRG) Cardiovascular reactions and respiratory events during platelet activating factor-induced shock 217
Flameng W, Lesaffre E, Vanhaecke J (Leuven/Belgium) Determinants of infarct size in non-human primates 392
Fujita M, Mikuniya A, McKown DP, McKown MD, Franklin D (Columbia, Missouri/USA) Effects of dipyridamole on collateral flow and regional myocardial function in conscious dogs with newly developed collaterals 142
Garcia-Dorade D, Théroux P, Alonso J, Elizaga J, Botas J, Fernandez-Avilés F, Soriano J, Munoz R, Solares J (Madrid/Spain, Montreal, Quebec/Canada) Intracoronary infusion of superoxide dismutase and reperfusion injury in the pig heart 619
Görge G, Papageorgiou I, Lerch R (Geneva/Switzerland) Epinephrine-stimulated contractile and metabolic reserve in postischemic rat myocardium 595

Guth BD, Schulz R, Heusch G (Essen/FRG, San Diego, California/USA) Evaluation of parameters for the assessment of regional myocardial contractile function during asynchronous left ventricular contraction . . . 550
Hardy RI, James FW, Millard RW, Kaplan S (Cincinnati, Ohio/USA) Regional myocardial blood flow and cardiac mechanics in dog hearts with CO_2 laser-induced intramyocardial revascularization . . . 179
Himmel HM, Riehle R, Stieler K, Siess M (Tübingen/FRG) Effects of the divalent cation ionophore ionomycin on the performance of isolated guinea-pig atria . . . 247
Hofer E, Stark U, Stark G, Tritthardt HA (Graz/Austria) Detection and continuous monitoring of intracardiac low-level potentials from the surface of the Langendorff-perfused heart . . . 198
Kainulainen H, Komulainen J, Leinonen A, Rusko H, Vihko V (Jyväskylä/Finland) Regional differences of substrate oxidation capacity in rat hearts: Effects of extra load and endurance training . . . 630
Kaneko M, Singal PK, Dhalla NS (Winnipeg, Manitoba/Canada) Alterations in heart sarcolemmal Ca^{2+}-ATPase and Ca^{2+}-binding activities due to oxygen free radicals . . . 45
Kenny D, McCarthy-Kenny G, Pelc LR, Cheung HS, Brooks HL, Warltier DC (Milwaukee, Wisconsin/USA) Vasodilator actions of Interleukin-1 in the canine coronary circulation . . . 279
Kojda G, Klaus W, Werner G, Fricke U (Köln/FRG) Reduced responses of nitrendipine in $PGF_{2\alpha}$-precontracted porcine isolated arteries after pretreatment with methylene blue . . . 461
Kolář F, Ošťádal B, Papoušek F (Prague/Czechoslovakia) Effect of verapamil on contractile function of the isolated perfused rat heart during postnatal ontogeny . . . 429
Kondo J, Yamada Y, Okumura K, Hashimoto H, Ito T, Satake T (Nagoya/Japan) 1,2-diacylglycerol content in myocardium from spontaneously hypertensive rats during the development of hypertension . . . 453
Makita N, Yasuda H (Sapporo/Japan) Alterations of phosphoinositide-specific phospholipase C and protein kinase C in the myocardium of spontaneously hypertensive rats . . . 435
Mall G, Zimmer G, Baden S, Mattfeldt T (Heidelberg/FRG) Capillary neoformation in the rat heart – stereological studies on papillary muscles in hypertrophy and physiologic growth . . . 531
Matsuoka T, Kato M, Kako KJ (Ottawa, Ontario/Canada) Effect of oxidants on Na, K, ATPase and its reversal . . . 330
Meerson FZ, Malyshev IYu, Sazontova TG (Moscow/USSR) Adaptation to stress exposure prevents arrhythmogenic and contractural effects of the excess of Ca^{2+} on the heart by the increased activity of sarcoplasmic reticulum . . . 96
Muscari C, Caldarera CM, Guarnieri C (Bologna/Italy) Age-dependent production of mitochondrial hydrogen peroxide, lipid peroxides and fluorescent pigments in the rat heart . . . 172
Musch TI, Ghaul MR, Tranchitella V, Zelis R (Hershey, Pennsylvania/USA) Skeletal muscle glycogen depletion during submaximal exercise in rats with chronic heart failure . . . 606
Nanoff C, Ströher M, Haschkowitz H, Schütz W, Pittner H (Vienna/Austria) Desensitization pattern of cardiac β-adrenoceptor subtypes by prolonged in vivo infusion of pindolol and celiprolol in rats . . . 88
Okumura K, Yamada Y, Kondo J, Hashimoto H, Ito T, Ogawa K (Nagoya/Japan) Alteration in 1,2-diacylglycerol level and its fatty acid composition in hearts during the growth of hamsters . 164
Punzengruber C, Maurer G, Chang BL, Ong K, Meerbaum S, Corday E (Los Angeles, California/USA) Factors affecting penetration of retrograde coronary venous injections into normal and ischemic myocardium: assessment by contrast echocardiography and digital angiography . . . 21
Rousseau-Migneron S, Tancrède G, Nadeau A (Québec/Canada) Lidocaine improves survival rate in diabetic rats submitted to acute left coronary artery ligation . . . 404
Santamore WP, Constantinescu MS, Bogen D, Johnston WE (Pennsylvania/North Carolina/USA) Nonuniform distribution of normal pericardial fluid . . . 541
Schaapherder AFM, Schumacher CA, Coronel R, Fiolet JWT (Amsterdam/The Netherlands) Transmural inhomogeneity of extracellular $[K^+]$ and pH and myocardial energy metabolism in the isolated rat heart during acute global ischemia; dependence on gaseous environment . . . 33
Schad W, Heimisch W, Barankay A, Hesse S, Mendler N (München/FRG) Effect of urapidil on the performance of ischemic myocardium in anesthetized dogs . . . 270
Schäfer S, Heusch G (Essen/FRG) Recruitment of a time-dependent inotropic reserve by postextrasystolic potentiation in normal and reperfused myocardium . . . 257
Schmidt TA, Svendsen JH, Haunsø S, Kjeldsen K (Copenhagen/Denmark) Quantification of the total Na, K, ATPase concentration in atria and ventricles from mammalian species by measuring ^{3}H-ouabain binding to intact myocardial samples. Stability to short-term ischemia-reperfusion . . . 411

Schmidt-Ott SC, Bletz C, Vahl C, Saggau W, Hagl S, Rüegg JC (Heidelberg/FRG) Inorganic phosphate inhibits contractility and ATPase activity in skinned fibers from human myocardium . . . 358
Schoemaker RG, Urquhart J, Debets JJM, Struyker Boudier HAJ, Smits JFM (Maastricht/The Netherlands) Acute hemodynamic effects of coronary artery ligation in conscious rats 9
Scholz PM, Grover GJ, Mackenzie JW, Weiss HR (New Brunswick, New Jersey/USA) Regional oxygen supply and consumption balance in experimental left ventricular hypertrophy 575
Schoonderwoerd K, Broekhoven-Schokker S, Hülsmann WC, Stam H (Rotterdam/The Netherlands) Involvement of lysosome-like particles in the metabolism of endogenous myocardial triglycerides during ischemia/reperfusion. Uptake and degradation of triglycerides by lysosomes isolated from rat heart . . . 153
Schosser R, Forst H, Racenberg J, Messmer K (Heidelberg, Munich, Marburg/FRG) Open chest and open pericardium affect the distribution of myocardial blood flow in the right ventricle . . 508
Schouten VJA, Schipperheyn JJ, van Rijk-Zwikker GL, Swier GPH (Leiden/The Netherlands) Calcium metabolism and depressed contractility in isolated human and porcine heart muscle . 563
Schuyler GT, Yarbrough LR (Kansas City, Kansas, USA) Changes in myosin and creatine kinase mRNA levels with cardiac hypertrophy and hypothyroidism . . . 481
Shlafer M, Gallagher KP, Adkins S (Ann Arbor, Michigan/USA) Hydrogen peroxide generation by mitochondria isolated from regionally ischemic and nonischemic dog myocardium 318
Sparrow MP, Mitchell HW, Everett AW (Sydney/Australia) Different ratio of myosin heavy chain isoforms in arterial smooth muscle of spontaneously hypertensive rats . . . 209
Streller I, Walland A (Ingelheim/FRG) Antiischemic effects of alinidine in paced isolated rat hearts . . . 71
Uprichard ACG, Harron DWG (Belfast/Northern Ireland) H_2-receptor antagonism is not proarrhythmic in a chronic canine model . . . 519
Vandeplassche G, Thoné F, Hermans C, Borgers M (Beerse/Belgium) Ultrastructural damage and Ca^{2+}-shifts in the canine myocardium subjected to regional incomplete ischemia 384
Veksler VI, Khatkevich AN, Elizarova GV, Kapelko VI (Moscow/USSR) Mitochondrial respiration in myocardial biopsy samples as a criterion of postischemic recovery of the cardiac contractility . . . 307
Walfridsson H, Lund N (Linköping/Sweden; Rochester, New York/USA) Tissue oxygen pressure in normal myocardium and across the border zone during coronary artery occlusion in the pig. Effects of different arterial oxygen pressures . . . 466
Wolska BM, Lewartowski B (Warsaw/Poland) Net transsarcolemmal Ca^{2+} shifts versus Ca/Ca exchange in guinea pig ventricular muscle . . . 585
Yoshida K, Matoba R, Fujitani N, Onishi S (Osaka/Japan) Effect of sulfhydryl group modification on age-associated alteration of actomyosin ATPase activity in human myocardium 2
Yoshida Y, Shiga T, Imai S (Niigata/Japan) Degradation of sarcoplasmic reticulum calcium-pumping ATPase in ischemic-reperfused myocardium: Role of calcium-activated neutral protease . . . 495

Author Index to Volume 85 (1990) . . . 640

Subject Index to Volume 85 (1990) . . . 642

Supplement, appeared in 1990:
G. Heusch, J. Ross, Jr. (Eds.)
"Adrenergic Mechanisms in Myocardial Ischemia"